

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1159	713/182.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 06:37
L2	383	726/6.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 06:38
L3	434	(FOLEY near JAMES) (JOHNSON near RICK) (NAMBIAR near ANANT)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 06:38
L4	6	3 and authentication.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 06:38
S1	1	("5950195").PN.	US-PGPUB; USPAT	OR	OFF	2007/02/07 08:00
S2	37	(register registrat\$4) with authenticat\$4 near type	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 08:00
S3	412	(register registrat\$4) with authenticat\$4 near (type method)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 08:00
S4	20	S3 same user with (select\$4 choos\$4 choice)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 08:09
S5	25	S3 with (select\$4 choos\$4 choice)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 08:04
S6	1	S3 same password same (smart adj card) same biometric	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 08:08

EAST Search History

S7	5	S3 and password same (smart adj card) same biometric	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 08:28
S8	241	user with (select\$4 choos\$4 choice) with authenticat\$4 near (type method)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 08:32
S9	45	S8 and @ad<"20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 16:08
S10	18	user with prefer\$5 with authenticat\$4 near (type method)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 08:22
S11	14	(GUI ("graphical user interface")) with authenticat\$4 near (type method)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 08:23
S12	1	("6161139").PN.	US-PGPUB; USPAT	OR	OFF	2007/02/07 08:30

EAST Search History

S13	84	("0128903" "20010025300" "20010053247" "20020004831" "20020016910" "20020087859" "20020112155" "20020129106" "20020143865" "20020162019" "20030018913" "20030084296" "20040049675" "0032626" "4816655" "4868877" "5214702" "5220604" "5261002" "5299263" "5315657" "5339403" "5412717" "5412727" "5455953" "5475758" "5495533" "5530235" "5542046" "5577120" "5583993" "5615268" "5649099" "5659616" "5659617" "5689642" "5694471" "5754654" "5757920" "5761309" "5784463" "5805846" "5872841" "5872848" "5901284" "5903882" "5933498" "5943423" "5949414" "5960085" "5978484" "5999208" "6003014" "6031904" "6061448" "6138235" "6144997" "6158010" "6161139" "6212634" "6216116" "6256733" "6282183" "6285991" "6301263" "6343313" "6343361" "6347373" "6367009" "6393565" "6411605" "6429773" "6430688" "6438600" "6446253" "6523012" "6560581" "6567075" "6577949" "6601171" "6624827" "6651166" "6711679" "0007317").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/07 08:30
S14	1088	user adj select\$4 with authenticat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 08:36
S15	162	S14 same (register\$4 registration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 08:36
S16	33	S15 and @ad<"20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 08:36
S17	386	user near select\$4 near2 authenticat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 08:42

EAST Search History

S18	222	S17 and (register\$4 registration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 08:36
S19	50	S18 and @ad<"20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 08:43
S20	110	user with present\$4 with authentica\$4 near2 (type mode method)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 08:42
S21	17	S20 and @ad<"20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 08:58
S22	90	(register\$4 registration) same authentica\$4 near (type method mode) with (select\$4 choos\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 09:00
S23	14	S22 and @ad<"20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 09:00
S24	169	(register\$4 registration) same authentica\$4 near (type method mode) same (select\$4 choos\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 09:00
S25	41	S24 and @ad<"20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 09:07
S26	529	interface with select\$4 with authentica\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 09:09
S27	29	S26 same (register registration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 09:07

EAST Search History

S28	48	S26 same (register\$4 registration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 09:07
S29	8	S28 and @ad<"20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 09:39
S30	29	select\$4 with authenticat\$4 same password same biometric same (smart adj card)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 09:10
S31	6	user with select\$4 with authentication adj type	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 09:33
S32	1	user near profile same authentication adj type	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 09:34
S33	24	profile same authentication adj type	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 09:35
S34	26	(register registration) same authentication adj type	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 09:38
S35	0	log adj (in on) near type with select\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 09:41
S36	63	log adj (in on) with select\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 09:39
S37	19	S36 and @ad<"20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 09:50

EAST Search History

S38	8	(authenticat\$4 (log adj (in on))) same select\$4 with password with biometric with ((smart adj card) smartcard)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 14:31
S39	7	user with select\$4 with password with biometric with ((smart adj card) smartcard)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 09:44
S40	15	interface with password with biometric with ((smart adj card) smartcard)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 09:45
S41	1518	(authenticat\$4 (log adj (in on))) with (interface gui) with (type mode method)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 09:50
S42	835	S41 and (register\$4 registration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 09:50
S43	165	S42 and @ad<"20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 09:52
S44	103	S41 with (select choos\$4 check\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 09:52
S45	19	S44 and @ad<"20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 10:01
S46	115	biometric with authentication adj type	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 10:03
S47	2	S46 and @ad<"20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 10:03

EAST Search History

S48	130	biometric same authentication adj type	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 10:03
S49	2	S48 and @ad<"20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 10:04
S50	143	select\$4 with biometric with password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 10:04
S51	23	S50 and @ad<"20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 10:04
S52	14	delegat\$4 with permission with interfac\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 14:16
S53	28	(register\$4 registration) same (choos\$4 choice select\$4) with password with (biometric (smartcard (smart adj card)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 14:47
S54	5	S53 and @ad<"20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 14:18
S55	217	(choos\$4 choice select\$4) with password with (biometric (smartcard (smart adj card)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 14:18
S56	43	S55 and @ad<"20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 14:34
S57	9	(authenticat\$4 login.logon (log adj (in on))) same select\$4 with password with biometric with ((smart adj card) smartcard)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 14:33

EAST Search History

S58	2279	(authenticat\$4 login logon (log adj (in on))) same password with (biometric ((smart adj card) smartcard))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 14:33
S59	321	S58 same (choos\$4 choice select\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 14:33
S60	55	S59 and @ad<"20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 14:39
S61	1973	(choos\$4 choice select\$4) with (authenticat\$4 login logon (log adj (in on))) near2 (type option method process)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 15:54
S62	1066	S61 and (register\$4 registration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 14:39
S63	211	S62 and @ad<"20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 14:48
S64	68	(register\$4 registration) same (choos\$4 choice select\$4) with credential	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 14:49
S65	9	S64 and @ad<"20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 14:49
S66	837	(choos\$4 choice select\$4) with credential	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 14:49
S67	130	S66 and @ad<"20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 14:56

EAST Search History

S68	88	(register\$4 registration) same (authenticat\$4 login logon (log adj (in on))) near2 option	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 15:42
S69	14	S68 and @ad<"20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 15:02
S70	236	(authenticat\$4 login logon (log adj (in on))) adj option	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 15:24
S71	53	S70 and @ad<"20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 15:27
S72	44776	VPN same (authenticat\$4 login logon (log adj (in on))) same (register\$4 registration) sam password same (biometric (smartcard (smart adj card)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 15:25
S73	3	VPN same (authenticat\$4 login logon (log adj (in on))) same (register\$4 registration) same password same (biometric (smartcard (smart adj card)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 15:26
S74	305	(authenticat\$4 login logon (log adj (in on))) same (register\$4 registration) same password same (biometric (smartcard (smart adj card)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 15:26
S75	41	S74 and @ad<"20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 15:43
S76	1	("6393139").PN.	US-PGPUB; USPAT	OR	OFF	2007/02/07 15:37
S77	728	(authenticat\$4 login logon (log adj (in on))) with (select\$4 choos\$4 choice) with different	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 15:42

EAST Search History

S78	184	S77 and @ad<"20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 15:55
S79	8	S78 and biometric same password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 15:45
S80	15	S78 and biometric	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 15:47
S81	122	S78 and (register\$4 registration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 15:47
S82	120	prefer\$4 with (authenticat\$4 login logon (log adj (in on))) near2 (type option method process)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 16:27
S83	14	S82 and @ad<"20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 15:55
S84	348	(username user adj (id identification)) near password same (biometric (smartcard (smart adj card)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 16:39
S85	71	S84 and @ad<"20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 16:30
S86	13650	(authenticat\$4 login logon (log adj (in on))) with (screen page box)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 16:38
S87	336	S86 same option with (menu list)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 16:28

EAST Search History

S88	73	S87 and @ad<"20010103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 16:30
S89	403	(authenticat\$4 login logon (log adj (in on))) near option	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 16:38
S90	22	S89 and (username user adj (id identification)) near password and (biometric (smartcard (smart adj card)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 16:50
S91	571	(lost lose forget) near2 password and (register\$4 registration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 16:55
S92	7	S91 and remember near3 (username (user adj name))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 16:51
S93	17	(lost lose forget) near2 password and remember near3 (username (user adj name))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 06:36